



369 East Park Drive Harrisburg, PA 17111 (717) 564-1121 FAX (717) 564-1158 www.hrg-inc.com

VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

May 5, 2017

Mr. Barry L. Church President of Borough Council Borough of Shinglehouse P.O. Box 156 Shinglehouse, PA 16748

Re:

Borough of Shinglehouse

Wastewater Treatment Plant Phase I Improvements

Shinglehouse Borough, Potter County

Dear Mr. Church:

In accordance with Pennsylvania Act 14, this letter serves as your notification that the Borough of Shinglehouse (Borough) will file an application to the Pennsylvania Department of Environmental Protection (DEP) for a Water Quality Management Part II Permit for their proposed Wastewater Treatment Plant (WWTP) Phase I Improvements Project (Project).

The Project involves the permitting and construction of an upgrade to the Borough's WWTP located on Wolcott Avenue, Shinglehouse, Pennsylvania, to include the following improvements:

- Installation of a new vertical fine screen
- Rehabilitation of the existing influent pump station
- Installation of a new grit removal facility
- Replacement of the chemical feed equipment for disinfection

The purpose of these upgrades is to address aging equipment and effectively remove grit and other debris (such as rags and refuse) from the WWTP prior to the biological and chemical processing of the wastewater. The upgraded WWTP will continue to serve the existing Borough service areas. All proposed work will take place at the existing WWTP in Shinglehouse Borough.

Shinglehouse Borough May 5, 2017 Page 2

Act 14 requires that every applicant for this type of permit give written notice to each municipality and county in which the activities are located, and that the municipalities must receive the notice at least 30 days before the Department of Environmental Protection (DEP) may issue or deny the permit. We also invite you to submit comments to DEP related to comprehensive plans and zoning ordinances under Acts 67 and 68, which amended the Municipal Planning Code to support sound land use practices and Growing Smarter. The law directs state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure.

If you have any questions or concerns, please contact me.

Very truly yours,

Herbert, Rowland & Grubic, Inc.

Joshua T. Fox, P.E.


Regional Service Group Manager


JJH/JTF/rb
R004004.0428
P:10040004004_0428\Admin\Permits\WQM\Part\H\2017.05.05\Act\14\Shinglehouse\Borough.doe

c: File



SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X B. Received by (Printed Name)	☐ Agent☐ Addressed
1. Article Addressed to: Mr. Barry L. Church President of Borough Council Borough of Shinglehouse 318 West Honeoye Stree	D. Is delivery address different from item 1?	
Shinglehouse, PA 16748		







369 East Park Drive Harrisburg, PA 17111 (717) 564-1121 FAX (717) 564-1158 www.hrg-inc.com

VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

May 5, 2017

Potter County Board of Commissioners Gunzburger Building One North Main Street, Suite 207 Coudersport, PA 16915

Re:

Borough of Shinglehouse

Wastewater Treatment Plant Phase I Improvements

Shinglehouse Borough, Potter County

Dear Commissioners:

In accordance with Pennsylvania Act 14, this letter serves as your notification that the Borough of Shinglehouse (Borough) will file an application to the Pennsylvania Department of Environmental Protection (DEP) for a Water Quality Management Part II Permit for their proposed Wastewater Treatment Plant (WWTP) Phase I Improvements Project (Project).

The Project involves the permitting and construction of an upgrade to the Borough's WWTP located on Wolcott Avenue, Shinglehouse, Pennsylvania, to include the following improvements:

- Installation of a new vertical fine screen
- Rehabilitation of the existing influent pump station
- Installation of a new grit removal facility
- Replacement of the chemical feed equipment for disinfection

The purpose of these upgrades is to address aging equipment and effectively remove grit and other debris (such as rags and refuse) from the WWTP prior to the biological and chemical processing of the wastewater. The upgraded WWTP will continue to serve the existing Borough service areas. All proposed work will take place at the existing WWTP in Shinglehouse Borough.

Potter County May 5, 2017 Page 2

Act 14 requires that every applicant for this type of permit give written notice to each municipality and county in which the activities are located, and that the municipalities must receive the notice at least 30 days before the Department of Environmental Protection (DEP) may issue or deny the permit. We also invite you to submit comments to DEP related to comprehensive plans and zoning ordinances under Acts 67 and 68, which amended the Municipal Planning Code to support sound land use practices and Growing Smarter. The law directs state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure.

If you have any questions or concerns, please contact me.

Very truly yours,

Herbert, Rowland & Grubic, Inc.

Joshua T. Fox, P.E. Regional Service Group Manager

JJH/JTF/rb
R004004.0428
P\004004.0404_0428\Admin\Permits\WQM Part II\2017.05.05 Act 14 Potter County.doc

: File



SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY	
 Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature X B. Received by (Printed Name)	☐ Agent☐ Addressee☐ C. Date of Celivery
Potter County Board of Commissioners Gunzburger Building One North Main Street, Suite 207 Coudersport, PA 16915	D. Is delivery address different from item 1? ☐ Yeb If YES, enter delivery address below: ☐ No	
9590 9402 2104 6132 4170 34	3. Service Type Adult Signature Adult Signature Restricted Delivery Cartified Mail® Cartified Mail Restricted Delivery Collect on Delivery	☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Mail Restricted Delivery Return Receipt for Merchandise

Domestic Return Receipt





PS Form 3811, July 2015 PSN 7530-02-000-9053

Domestic Return Receipt



369 East Park Drive Harrisburg, PA 17111 (717) 564-1121 FAX (717) 564-1158 www.hrg-inc.com

VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

May 5, 2017

Sharon Township Supervisors RR I Box 96 Shinglehouse, PA 16748-9704

Re:

Borough of Shinglehouse

Wastewater Treatment Plant Phase I Improvements

Shinglehouse Borough, Potter County

Dear Supervisors:

In accordance with Pennsylvania Act 14, this letter serves as your notification that the Borough of Shinglehouse (Borough) will file an application to the Pennsylvania Department of Environmental Protection (DEP) for a Water Quality Management Part II Permit for their proposed Wastewater Treatment Plant (WWTP) Phase I Improvements Project (Project).

The Project involves the permitting and construction of an upgrade to the Borough's WWTP located on Wolcott Avenue, Shinglehouse, Pennsylvania, to include the following improvements:

- Installation of a new vertical fine screen
- Rehabilitation of the existing influent pump station
- Installation of a new grit removal facility
- Replacement of the chemical feed equipment for disinfection

The purpose of these upgrades is to address aging equipment and effectively remove grit and other debris (such as rags and refuse) from the WWTP prior to the biological and chemical processing of the wastewater. The upgraded WWTP will continue to serve the existing Borough service areas. All proposed work will take place at the existing WWTP in Shinglehouse Borough.

Sharon Township May 5, 2017 Page 2

Act 14 requires that every applicant for this type of permit give written notice to each municipality and county in which the activities are located, and that the municipalities must receive the notice at least 30 days before the Department of Environmental Protection (DEP) may issue or deny the permit. We also invite you to submit comments to DEP related to comprehensive plans and zoning ordinances under Acts 67 and 68, which amended the Municipal Planning Code to support sound land use practices and Growing Smarter. The law directs state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure.

If you have any questions or concerns, please contact me.

Very truly yours,

Herbert, Rowland & Grubic, Inc.

Joshua T. Fox, P.E.

Regional Service Group Manager

JJH/JTF/rb
R004004.0428
P:0040004004_0428\Admin\Permits\WQM Part IR2017.05.05 Act 14 Sharon Township.doc

c: File



